
A. SCOPE

This specification applies Internally driven magnetic buzzers, L-KLS3-MWC-09*4.2

B. SPECIFICATION

No.	ltem	Unit	Specification	Condition
1	Oscillation Frequency	KHz	2.7 ± 0.3	
2	Operating Voltage	VDC	2~5	
3	Rated Voltage	VDC	3	
4	Current Consumption	mA	MAX. 30	at Rated Voltage
5	Sound Pressure Level	dB	MIN. <mark>80</mark>	at 10cm at Rated Voltage
6	Tone/Pulse Rate		Constant	
7	Operating Temperature	°C	-20 ~ +70	
8	Storage Temperature	°C	-30 ~ +80	
9	Dimension	mm	Ф9.0 х Н4.2	See appearance drawing
10	Weight (MAX)	gram	1.0	
11	Housing Material		PPO(Black)	
12	Leading Pin		Tin Plated Brass(Sn)	See appearance drawing
13	Environmental Protection Regulation		RoHS	

C. APPEARANCE DRAWING




D.TESTING METHOD Standard Measurement conditions


Temperature:25±2°C Humidity:45-65%

Acoustic Characteristics:

The oscillation frequency, current consumption and sound pressure are measured by the measuring instruments shown below



In the measuring test, buzzer is placed as follows:




E. VOLTAGE / CURRENT / SOUND PRESSURE CHARACTERISTICS



KLS

mA-V



NingBo KLS ELECTRONIC CO.,LTD.

F. RELIABILITY TEST

NO.	ITEM	TEST CONDITION AND REQUIREMENT		
	High Temperature	After being placed in a chamber with 80±2°C for 96 hours and then		
1		being placed in normal condition for 2 hours.		
	Test (Storage)	Allowable variation of SPL after test: ±10dB.		
	Low Temperature Test (Storage)	After being Placed in a chamber with -30±2°C for 96 hours and then		
2		being placed in normal condition for 2 hours.		
		Allowable variation of SPL after test: ±10dB.		
	Humidity Test	After being Placed in a chamber with 90-95% R.H. at 40±2°C for 96		
3		hours and then being placed in normal condition for 2 hours.		
		Allowable variation of SPL after test: ±10dB.		
	Temperature Cycle Test Drop Test	The part shall be subjected to 5 cycles. One cycle shall be consist of :		
		+70°C		
		+25°C +25°C		
4				
		- 20°C		
		0.5hr 0.5 0.25 0.5 0.5 0.5 0.25		
		Allowable variation of SPL after test: ±10dB.		
5		Drop on a hard wood board of 4cm thick, any directions ,6 times, at the height of 75cm.		
5		Allowable variation of SPL after test: ±10dB.		
		After being applied vibration of amplitude of 1.5mm with 10 to 55 Hz		
	Vibration Test	band of vibration frequency to each of 3 perpendicular directions for		
6		2 hours.		
		Allowable variation of SPL after test: ±10dB.		
	Solderability Test	Lead terminals are immersed in rosin for 5 seconds and then		
7		immersed in solder bath of $+300\pm5^{\circ}$ C for 3 ± 1 seconds.		
1		90% min. lead terminals shall be wet with solder		
		(Except the edge of terminals).		
	Terminal Strength Pulling Test	The force of 9.8N(1.0kg) is applied to each terminal in axial direction for		
8		10 seconds.		
		No visible damage and cutting off.		
TEST C	ONDITION.			
	Test Condition :	a) Temperature : +5 ~ +35°C b) Humidity : 45-85% c) Pressure : 860-1060mbar		
		a) 温度 : +5~+35℃ b) 湿度 : 45-85% c) 气压 : 860-1060mbar		
Judgmer	nt Test Condition :	a) Temperature : +25 \pm 2°C b) Humidity : 60-70% c) Pressure : 860-1060mbar		

ent lest Condition : a) iemperature : +25 ± 2 ℃ b) Humidity : 60-70% c) Pressure : 600-1060mbar 争议时测试条件 : a) 温度 : +25 ± 2 ℃ b) 湿度 : 60-70% c) 气压 : 860-1060mbar



NingBo KLS ELECTRONIC CO.,LTD.

