



## D-SUB Series

### KLS1-DBR D-SUB Metal Material Hood 9-25Pin Series

Cover Material: Zinc alloy  
Screw Material: Steel



## ORDER INFORMATION

Product NO.: KLS1-DBR-09P-L

Pos. NO.  
001=001 pos.

Contact Number of Row  
DBR=D-SUB Metal Material Hood Series



L: Long screw

Number of Contacts

## D-SUB Series

### KLS1-DBR D-SUB Metal Material Hood 9-25Pin Series

Cover Material: Zinc alloy  
Screw Material: Steel



## ORDER INFORMATION

Product NO.: KLS1-DBR-15P-L

Pos. NO.  
001=001 pos.

Contact Number of Row  
DBR=D-SUB Metal Material Hood Series

L : Long screw


Number of Contacts

## D-SUB Series

### KLS1-DBR D-SUB Metal Material Hood 9-25Pin Series

Cover Material: Zinc alloy  
Screw Material: Steel

I



## ORDER INFORMATION


Product NO.: KLS1-DBR-25P-L

Pos. NO.  
001=001 pos.

Contact Number of Row  
DBR=D-SUB Metal Material Hood Series

L : Long screw

Number of Contacts



RoHS Compliance

| REV | SYM      | Revision Record     | Appr. | Date       |
|-----|----------|---------------------|-------|------------|
| V0  | KLS01052 | New Version Release | Song  | 2025-03-31 |

Order Information  
L-KLS1-DBR-37P-L-7.0

RoHS

Wire Clip Size: \_\_\_\_\_  
5.0=φ5 6.0=φ6 7.0=φ7  
8.0=φ8 9.0=φ9 10.0=φ10

Material:  
Shell: Metal Assembly shell, Nickel plated  
Wire Clip: ABS Plastic, Black (Choose One Out Of Six)  
Screw: #4-40UCN Iron, Nickel Plated  
Screw: M3.0×14.60, Iron, Nickel Plated  
Nut: M3.0, Iron, Nickel Plated

| ANGLE TOLERANCE   | PROJECTION | Description:                |
|-------------------|------------|-----------------------------|
| ±3°               |            | D-SUB Metal Shell Connector |
| GENERAL TOLERANCE | UNITS      | mm                          |
| .x ±0.30          | SHEET SIZE | A4                          |
| .xx ±0.20         | Draw:      | Song                        |
| .xxx ±0.10        | Check:     | Daniel                      |

NingBo KLS ELECTRONIC CO.,LTD.