

14

13

12

11

10

9

8

7

6

5

4

3

2

1

2 CIRCUIT

PART NUMBER	HOUSING USED	TERMINAL VOID POSITION	LATCH POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE
91716-9001	91715-0002	NONE	NONE	NONE		OPEN	OPEN	NONE	NONE
91716-9002	91715-0042	NONE	NONE	a		OPEN	CLOSED	NONE	NONE
91716-9004	91715-0002	NONE	NONE	c		OPEN	OPEN	NONE	NONE
91716-9005	91715-0102	NONE	NONE	NONE		OPEN	OPEN	1&2	NONE

3 CIRCUIT

PART NUMBER	HOUSING USED	TERMINAL VOID POITION	LATCH POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE
91716-0001	91715-0003	NONE	NONE	NONE		OPEN	OPEN	NONE	NONE
91716-0002	91715-0003	NONE	NONE	a d		OPEN	OPEN	NONE	RED
91716-0013	91715-0003	NONE	NONE	a		OPEN	OPEN	NONE	NONE
91716-0014	91715-0003	NONE	NONE	b		OPEN	OPEN	NONE	NONE
91716-0015	91715-0003	NONE	NONE	c		OPEN	OPEN	NONE	NONE
91716-0016	91715-0003	NONE	NONE	d		OPEN	OPEN	NONE	NONE
91716-0017	91715-0003	NONE	NONE	b d		OPEN	OPEN	NONE	NONE
91716-0018	91715-0003	NONE	NONE	a c		OPEN	OPEN	NONE	NONE
91716-0019	91715-0003	NONE	NONE	a d		OPEN	OPEN	NONE	NONE
91716-0020	91715-0003	NONE	NONE	a b		OPEN	OPEN	NONE	NONE
91716-0021	91715-0003	NONE	NONE	b c		OPEN	OPEN	NONE	NONE
91716-0022	91715-0003	NONE	NONE	c d		OPEN	OPEN	NONE	NONE
91716-0023	91715-0003	CCT 2	NONE	b d		OPEN	OPEN	NONE	NONE
91716-0024	91715-0003	CCT 3	NONE	c		OPEN	OPEN	NONE	BLUE
91716-0034	91715-0103	NONE	NONE	NONE		OPEN	OPEN	1&2	NONE
91716-0041	91715-0203	NONE	NONE	NONE		OPEN	OPEN	2&3	NONE
91716-0042	91715-0003	CCT 1	NONE	NONE		OPEN	OPEN	NONE	NONE
91716-0043	91715-0003	CCT 1	NONE	c		OPEN	OPEN	NONE	NONE
91716-0044	91715-0003	NONE	NONE	b d		OPEN	OPEN	NONE	BLUE
91716-0045	91715-0003	NONE	NONE	b		OPEN	OPEN	NONE	BLUE
91716-0046	91715-0003	CCT 1	NONE	d		OPEN	OPEN	NONE	NONE

3CCT CONTINUED ON NEXT SHEET

NOTES

1. + DENOTES TERMINAL VOIDED POSITION

⊕ DENOTES TERMINAL LOADED POSITION

| DENOTES POLARIZING RIB POSITION

2. MOLEX HOUSING NO. FOR REFERENCE ONLY

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC:	mo lex APPLI-MATE 2.5 FEMALE (MATL: NYLON PA6)					
mm	NTS							
GENERAL TOLERANCES (UNLESS SPECIFIED)								
ANGULAR TOL	± 0.5 °							
4 PLACES	±	EC NO: 814617 DRWN: GOPIS CHK'D: GOPIS APPR: ISHWARG	2024/02/05 2025/03/04 2025/04/08	DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
3 PLACES	± 0.05			917160001		PSD	000	N5
2 PLACES	± 0.1							
1 PLACE	± 0.2	INITIAL REVISION: DRWN: CFISHER01 APPR: BRUTTLE		2016/05/06 2016/07/01				
0 PLACES	±							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER		SHEET NUMBER
			A2-SIZE	91716	SEE TABLE	GENERAL MARKET		2 OF 10

14	13	12	11	10	9	8	7	6	5	4	3	2	1
5 CIRCUIT													
PART NUMBER	HOUSING USED	TERMINAL VOID POITION	LATCH POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE				
91716-1001	91715-0005	NONE	NONE	NONE	12345 ⊕⊕⊕⊕⊕	OPEN	OPEN	NONE	NONE				
91716-1002	91715-0305	NONE	NONE	ALL	12345 ⊕⊕⊕⊕⊕ abcdef	OPEN	OPEN	3&4	NONE				
91716-1003	91715-0405	NONE	NONE	NONE	12345 ⊕⊕⊕⊕⊕	OPEN	OPEN	4&5	NONE				
91716-1004	91715-0005	NONE	NONE	c d	12345 ⊕⊕⊕⊕⊕ c d	OPEN	OPEN	NONE	NONE				
91716-1005	91715-0005	NONE	NONE	a	12345 ⊕⊕⊕⊕⊕ a	OPEN	OPEN	NONE	NONE				
91716-1006	91715-0005	NONE	NONE	b	12345 ⊕⊕⊕⊕⊕ b	OPEN	OPEN	NONE	NONE				
91716-1007	91715-0005	NONE	NONE	a b e f	12345 ⊕⊕⊕⊕⊕ a b e f	OPEN	OPEN	NONE	NONE				
91716-1008	91715-0205	NONE	NONE	NONE	12345 ⊕⊕⊕⊕⊕	OPEN	OPEN	2&3	NONE				
91716-1009	91715-0005	CCT 2,3,4	NONE	NONE	12345 ⊕+++⊕	OPEN	OPEN	NONE	NONE				
91716-1010	91715-0005	CCT 2	NONE	c	12345 ⊕+⊕⊕⊕ c	OPEN	OPEN	NONE	NONE				
91716-1011	91715-0005	CCT 2	NONE	d	12345 ⊕+⊕⊕⊕ d	OPEN	OPEN	NONE	NONE				
91716-1012	91715-0005	CCT 2	NONE	b	12345 ⊕+⊕⊕⊕ b	OPEN	OPEN	NONE	NONE				
91716-1013	91715-0005	CCT 2	NONE	a	12345 ⊕+⊕⊕⊕ a	OPEN	OPEN	NONE	NONE				
91716-1014	91715-0005	NONE	NONE	b c d e	12345 ⊕⊕⊕⊕⊕ b c d e	OPEN	OPEN	NONE	NONE				
91716-1015	91715-0305	CCT 2,3,4	NONE	NONE	12345 ⊕+++⊕	OPEN	OPEN	3&4	RED				
91716-1016	91715-0005	CCT 2	NONE	b	12345 ⊕+⊕⊕⊕ b	OPEN	OPEN	NONE	RED				
91716-1017	91715-0005	NONE	NONE	d e	12345 ⊕⊕⊕⊕⊕ d e	OPEN	OPEN	NONE	NONE				
91716-1018	91715-0005	NONE	NONE	a d f	12345 ⊕⊕⊕⊕⊕ a d f	OPEN	OPEN	NONE	NONE				
91716-1019	91715-0105	NONE	NONE	NONE	12345 ⊕⊕⊕⊕⊕	OPEN	OPEN	1&2	NONE				
91716-1020	91715-0005	CCT 2,3,4	NONE	b	12345 ⊕+++⊕ b	OPEN	OPEN	NONE	NONE				
91716-1021	91715-0005	NONE	NONE	d	12345 ⊕⊕⊕⊕⊕ d	OPEN	OPEN	NONE	NONE				
91716-1022	91715-0005	NONE	NONE	b f	12345 ⊕⊕⊕⊕⊕ b f	OPEN	OPEN	NONE	RED				
91716-1023	91715-0005	CCT 2,3,4	NONE	c e	12345 ⊕+++⊕ c e	OPEN	OPEN	NONE	NONE				
91716-1024	91715-0205	NONE	NONE	a b e f	12345 ⊕⊕⊕⊕⊕ a b e f	OPEN	OPEN	2&3	NONE				
91716-1025	91715-0005	CCT 2,3,4	NONE	c f	12345 ⊕+++⊕ c f	OPEN	OPEN	NONE	NONE				
91716-1026	93473-0205	NONE	NONE	ALL	12345 ⊕⊕⊕⊕⊕ abcdef	OPEN	OPEN	2&3	NONE	LOCKING RETENTION FEATURE			
91716-1027	91715-0205	NONE	NONE	ALL	12345 ⊕⊕⊕⊕⊕ abcdef	OPEN	OPEN	2&3	NONE				
91716-1028	93473-0005	NONE	NONE	NONE	12345 ⊕⊕⊕⊕⊕	OPEN	OPEN	NONE	NONE	LOCKING RETENTION FEATURE			
91716-1029	91715-0005	NONE	NONE	b c d	12345 ⊕⊕⊕⊕⊕ b c d	OPEN	OPEN	NONE	NONE				
91716-1030	91715-0085	NONE	NONE	NONE	12345 ⊕⊕⊕⊕⊕	NARROW	OPEN	NONE	NONE				

5 CIRCUIT													
PART NUMBER	HOUSING USED	TERMINAL VOID POITION	LATCH POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE				
91716-1031	91715-0305	NONE	NONE	b c d e f	12345 ⊕⊕⊕⊕⊕ b c d e f	OPEN	OPEN	3 & 4	NONE		N3		
91716-1032	91715-0405	NONE	NONE	b c d e f	12345 ⊕⊕⊕⊕⊕ b c d e f	OPEN	OPEN	4 & 5	NONE		N3		

NOTES

1. + DENOTES TERMINAL VOIDED POSITION

⊕ DENOTES TERMINAL LOADED POSITION

| DENOTES POLARIZING RIB POSITION

2. MOLEX HOUSING NO. FOR REFERENCE ONLY

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																					
DIMENSION UNITS		SCALE		CURRENT REV DESC:				moLEX APPLI-MATE 2.5 FEMALE (MATL: NYLON PA6) PRODUCT CUSTOMER DRAWING													
mm		NTS																			
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 814617 DRWN: GOPIS CHK'D: GOPIS APPR: ISHWARG INITIAL REVISION: DRWN: CFISHER01 APPR: BRUTTLE										DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION	
ANGULAR TOL														2025/03/04		917160001		PSD		000	
4 PLACES								2025/04/08													
3 PLACES																					
2 PLACES																					
1 PLACE																					
0 PLACES																					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER							
						A2-SIZE		91716		SEE TABLE		GENERAL MARKET		4 OF 10							

DOCUMENT STATUS	P1	RELEASE DATE	2025/04/08	10:51:42									
4	13	12	11	10	9	8	7	6	5	4	3	2	1

5 CIRCUIT									
PART NUMBER	HOUSING USED	TERMINAL VOID POITION	LATCH POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE
91716-1031	91715-0305	NONE	NONE	b c d e f	12345 ⊕⊕⊕⊕⊕ b c d e f	OPEN	OPEN	3 & 4	NONE
91716-1032	91715-0405	NONE	NONE	b c d e f	12345 ⊕⊕⊕⊕⊕ b c d e f	OPEN	OPEN	4 & 5	NONE

NOTES

- + DENOTES TERMINAL VOIDED POSITION
- ⊕ DENOTES TERMINAL LOADED POSITION
- | DENOTES POLARIZING RIB POSITION
- 2. MOLEX HOUSING NO. FOR REFERENCE ONLY

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC:		molex			
mm	NTS						
GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 814617 DRWN: GOPIS CHK'D: GOPIS APPR: ISHWARG INITIAL REVISION: DRWN: CFISHER01 APPR: BRUTTLE		2024/02/05 2025/03/04 2025/04/08 2016/05/06 2016/07/01		APPLI-MATE 2.5 FEMALE (MATL: NYLON PA6)	
ANGULAR TOL	± 0.5°					PRODUCT CUSTOMER DRAWING	
4 PLACES	±					DOCUMENT NUMBER	
3 PLACES	± 0.05					917160001	
2 PLACES	± 0.1					DOC TYPE	DOC PART
1 PLACE	± 0.2	THIRD ANGLE PROJECTION		DRAWING		SERIES	
0 PLACES	±						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
		A2-SIZE		91716		SEE TABLE	
		GENERAL MARKET				4 OF 10	

14	13	12	11	10	9	8	7	6	5	4	3	2	1
6 CIRCUIT													
PART NUMBER	HOUSING USED	TERMINAL VOID POITION	LATCH POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE				
91716-1501	91715-0006	NONE	NONE	NONE	□□□□□□□ ⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6	OPEN	OPEN	NONE	NONE				
91716-1502	91715-0306	NONE	NONE	ALL	□ a b c d e f g ⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6	OPEN	OPEN	3&4	NONE				
91716-1503	91715-0006	NONE	NONE	c e f g	□□ c e f g ⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6	OPEN	OPEN	NONE	NONE				
91716-1504	91715-0206	NONE	NONE	ALL	□ a b c d e f g ⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6	OPEN	OPEN	2&3	NONE				
91716-1505	91715-0006	CCT 2,5	NONE	d f	□□□ d f □ ⊕+⊕⊕+⊕ 1 2 3 4 5 6	OPEN	OPEN	NONE	NONE				
91716-1506	91715-0006	NONE	NONE	a b f g	□ a b □□ f g ⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6	OPEN	OPEN	NONE	NONE				
91716-1507	91715-0006	NONE	NONE	e f	□□□□ e f □ ⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6	OPEN	OPEN	NONE	NONE				
91716-1509	91715-0006	NONE	NONE	g	□□□□□□ g ⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6	OPEN	OPEN	NONE	NONE				
91716-1510	91715-0006	CCT 2	NONE	c f	□□ c □□ f □ ⊕+⊕⊕⊕⊕ 1 2 3 4 5 6	OPEN	OPEN	NONE	NONE				
91716-1511	91715-0006	CCT 2,5	NONE	NONE	□□□□□□□ ⊕+⊕⊕+⊕ 1 2 3 4 5 6	OPEN	OPEN	NONE	NONE				
91716-1512	91715-0006	CCT 3,5	NONE	NONE	□□□□□□□ ⊕⊕+⊕+⊕ 1 2 3 4 5 6	OPEN	OPEN	NONE	NONE				
91716-1513	91715-0006	CCT 2,4	NONE	b d e f	□ b □ d e f □ ⊕+⊕+⊕⊕ 1 2 3 4 5 6	OPEN	OPEN	NONE	NONE				
91716-1514	91715-0106	CCT 3,5	NONE	NONE	□□□□□□□ ⊕⊕+⊕+⊕ 1 2 3 4 5 6	OPEN	OPEN	1&2	NONE				
91716-1515	91715-0206	CCT 2,5	NONE	NONE	□□□□□□□ ⊕+⊕⊕+⊕ 1 2 3 4 5 6	OPEN	OPEN	2&3	NONE				
91716-1516	91715-0306	NONE	NONE	c f	□□ c □□ f □ ⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6	OPEN	OPEN	3&4	NONE				
91716-1517	91715-0006	NONE	NONE	c e	□□ c □ e □□ ⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6	OPEN	OPEN	NONE	NONE				
91716-1518	91715-0006	CCT 2,4	NONE	NONE	□□□□□□□ ⊕+⊕+⊕⊕ 1 2 3 4 5 6	OPEN	OPEN	NONE	NONE				
91716-1519	91715-0006	NONE	NONE	a c e	□ a □ c □ e □□ ⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6	OPEN	OPEN	NONE	NONE				
91716-1520	91715-0006	CCT 5	NONE	c e	□□ c □ e □□ ⊕⊕⊕⊕+⊕ 1 2 3 4 5 6	OPEN	OPEN	NONE	NONE				
91716-1521	91715-0006	CCT 2,4,5,6	NONE	c e	□□ c □ e □□ ⊕+⊕+⊕+⊕ 1 2 3 4 5 6	OPEN	OPEN	NONE	NONE				
91716-1522	91715-0006	CCT 2,6	NONE	c e	□□ c □ e □□ ⊕+⊕⊕⊕+ 1 2 3 4 5 6	OPEN	OPEN	NONE	NONE				
91716-1523	91715-0406	NONE	NONE	NONE	□□□□□□□ ⊕⊕⊕⊕⊕ 1 2 3 4 5 6	OPEN	OPEN	4&5	NONE				
91716-1524	91715-0006	CCT 2,4,5,6	NONE	NONE	□□□□□□□ ⊕+⊕+⊕+⊕ 1 2 3 4 5 6	OPEN	OPEN	NONE	NONE				
91716-1525	91715-0006	CCT 2,6	NONE	NONE	□□□□□□□ ⊕+⊕⊕⊕+ 1 2 3 4 5 6	OPEN	OPEN	NONE	NONE				
91716-1526	91715-0006	CCT 2,5	NONE	NONE	□□□□□□□ ⊕+⊕⊕+⊕ 1 2 3 4 5 6	OPEN	OPEN	NONE	NONE				
91716-1527	91715-0006	CCT 2,5	NONE	c e	□□ c □ e □□ ⊕+⊕⊕+⊕ 1 2 3 4 5 6	OPEN	OPEN	NONE	NONE				
91716-1528	91715-0006	CCT 2,5	NONE	a b d f g	□ a b □ d □ f g ⊕+⊕⊕+⊕ 1 2 3 4 5 6	OPEN	OPEN	NONE	GREEN				
91716-1529	91715-0006	NONE	NONE	d	□□□□ d □□□ ⊕⊕⊕⊕⊕ 1 2 3 4 5 6	OPEN	OPEN	NONE	NONE				
91716-1531	91715-0006	CCT 1,2,3,5	NONE	NONE	□□□□□□□ +++⊕+ 1 2 3 4 5 6	OPEN	OPEN	NONE	NONE				
91716-1532	91715-0006	CCT 1,2,3,5	NONE	d f	□□□□ d □ f □ +++⊕+ 1 2 3 4 5 6	OPEN	OPEN	NONE	NONE				

6CCT CONTINUED ON NEXT SHEET

NOTES

1. + DENOTES TERMINAL VOIDED POSITION

⊕ DENOTES TERMINAL LOADED POSITION

| DENOTES POLARIZING RIB POSITION

2. MOLEX HOUSING NO. FOR REFERENCE ONLY

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex APPLI-MATE 2.5 FEMALE (MATL: NYLON PA6) PRODUCT CUSTOMER DRAWING DOCUMENT NUMBER 917160001 DOC TYPE PSD DOC PART 000 REVISION N5							
mm		NTS													
GENERAL TOLERANCES (UNLESS SPECIFIED)															
ANGULAR TOL ± 0.5°															
4 PLACES		±		EC NO: 814617				2024/02/05							
3 PLACES		± 0.05		DRWN: GOPIS				2025/03/04							
2 PLACES		± 0.1		CHK'D: GOPIS				2025/04/08							
1 PLACE		± 0.2		APPR: ISHWARG				INITIAL REVISION:							
0 PLACES		±		INITIAL REVISION:				2016/05/06							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A2-SIZE		91716		SEE TABLE		GENERAL MARKET		5 OF 10	

13

12

11

10

9

8

7

6

5

4

3

2

1

14	13	12	11	10	9	8	7	6	5	4	3	2	1
7 CIRCUIT													
PART NUMBER	HOUSING USED	TERMINAL VOID POITION	LATCH POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE				
91716-2001	91715-0007	NONE	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	NONE				
91716-2002	91715-0207	NONE	NONE	ALL	a b c d e f g h ⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	2&3	NONE				
91716-2004	91715-0007	NONE	NONE	a	a ⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	NONE				
91716-2005	91715-0007	CCT 2	NONE	h	⊕⊕⊕⊕⊕⊕ h 1 2 3 4 5 6 7	OPEN	OPEN	NONE	NONE				
91716-2006	91715-0007	CCT 4	NONE	a	a ⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	NONE				
91716-2007	91715-0007	CCT 2	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	NONE				
91716-2008	91715-0007	CCT 6	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	NONE				
91716-2009	91715-0007	CCT 2	NONE	b c e g	⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	BLUE				
91716-2010	91715-0007	CCT 4,6	NONE	b d f	⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	RED				
91716-2011	91715-0007	CCT 4,6	NONE	b d f	⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	BLUE				
91716-2012	91715-0007	CCT 2	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	BLUE				
91716-2013	91715-0007	CCT 2	NONE	b d e f h	⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	BLUE				
91716-2014	91715-0007	CCT 4,6	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	BLUE				
91716-2015	91715-0007	CCT 4,6	NONE	c d e f h	⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	BLUE				
91716-2016	91715-0007	CCT 6	NONE	c d e f h	⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	BLUE				
91716-2017	91715-0007	CCT 6	NONE	c d e f	⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	BLUE				
91716-2018	91715-0007	CCT 6	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	BLUE				
91716-2019	91715-0007	CCT 2	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	BLACK				
91716-2020	91715-0007	NONE	NONE	a c e f h	a ⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	NONE				
91716-2021	91715-0007	NONE	NONE	a	a ⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	BLACK				
91716-2022	91715-0007	NONE	NONE	b c d f	⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	NONE				
91716-2023	91715-0007	NONE	NONE	a d	a ⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	NONE				
91716-2024	91715-0007	NONE	NONE	a b e f	a b ⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	NONE				
91716-2025	91715-0507	NONE	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	5&6	NONE				
91716-2026	91715-0007	NONE	NONE	ALL	a b c d e f g h ⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	NONE				
91716-2027	91715-0007	CCT 6	NONE	a c d e f	a ⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	BLUE				
91716-2028	91715-0007	CCT 1,2,3,4,6	NONE	a c f	a ⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	NONE				
91716-2029	91715-0007	CCT 4	NONE	a	a ⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	RED				
91716-2030	93473-0307	NONE	NONE	ALL	a b c d e f g h ⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	3&4	NONE	LOCKING RETENTION FEATURE			
91716-2031	91715-0307	NONE	NONE	ALL	a b c d e f g h ⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	3&4	NONE				

N4

N4

7 CIRCUIT													
PART NUMBER	HOUSING USED	TERMINAL VOID POITION	LATCH POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE				
91716-2032	93473-0007	NONE	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	NONE	LOCKING RETENTION FEATURE			
91716-2033	91715-0627	NONE	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	CLOSED	CLOSED	6&7	NONE				
91716-2034	91715-0007	NONE	NONE	b c d e f g	⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	NONE				

NOTES

1. + DENOTES TERMINAL VOIDED POSITION

⊕ DENOTES TERMINAL LOADED POSITION

| DENOTES POLARIZING RIB POSITION

2. MOLEX HOUSING NO. FOR REFERENCE ONLY

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

SCALE

mm

NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 0.5 °

4 PLACES ±

3 PLACES ± 0.05

2 PLACES ± 0.1

1 PLACE ± 0.2

0 PLACES ±

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

THIRD ANGLE PROJECTION

DRAWING

SERIES

MATERIAL NUMBER

CUSTOMER

SHEET NUMBER

CURRENT REV DESC:

EC NO: 814617

DRWN: GOPIS

CHK'D: GOPIS

APPR: ISHWARG

INITIAL REVISION:

DRWN: CFISHER01

APPR: BRUTTLE

2024/02/05

2025/03/04

2025/04/08

2016/05/06

2016/07/01

DOCUMENT NUMBER

DOC TYPE

DOC PART

REVISION

APPLI-MATE 2.5 FEMALE (MATL: NYLON PA6)

PRODUCT CUSTOMER DRAWING

917160001

PSD

000

N5

SEE TABLE

GENERAL MARKET

7 OF 10

DOCUMENT STATUS	P1	RELEASE DATE	2025/04/08	10:51:42									
13	12	11	10	9	8	7	6	5	4	3	2	1	

7 CIRCUIT										
PART NUMBER	HOUSING USED	TERMINAL VOID POITION	LATCH POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE	
91716-2032	93473-0007	NONE	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	NONE	LOCKING RETENTION FEATURE
91716-2033	91715-0627	NONE	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	CLOSED	CLOSED	6&7	NONE	
91716-2034	91715-0007	NONE	NONE	b c d e f g	⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7	OPEN	OPEN	NONE	NONE	

NOTES

- + DENOTES TERMINAL VOIDED POSITION
⊕ DENOTES TERMINAL LOADED POSITION
| DENOTES POLARIZING RIB POSITION
- MOLEX HOUSING NO. FOR REFERENCE ONLY

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																									
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex																	
mm		NTS																							
GENERAL TOLERANCES (UNLESS SPECIFIED)								APPLI-MATE 2.5 FEMALE (MATL: NYLON PA6)																	
ANGULAR TOL ± 0.5°																									
4 PLACES		±						EC NO: 814617				PRODUCT CUSTOMER DRAWING													
3 PLACES		± 0.05		DRWN: GOPIS 2024/02/05																					
2 PLACES		± 0.1		CHK'D: GOPIS 2025/03/04				DOCUMENT NUMBER																	
1 PLACE		± 0.2		APPR: ISHWARG 2025/04/08										917160001											
0 PLACES		±		INITIAL REVISION:				DOC TYPE		DOC PART		REVISION													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION				DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER									
																		DRWN: CFISHER01 2016/05/06		PSD		000		N5	
																		APPR: BRUTTLE 2016/07/01							
								A2-SIZE		91716		SEE TABLE		GENERAL MARKET		7 OF 10									

H

G

F

E

D

C

B

A

8 CIRCUIT									
PART NUMBER	HOUSING USED	TERMINAL VOID POITION	LATCH POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE
91716-2501	91715-0008	NONE	NONE	NONE	□□□□□□□□ ⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8	OPEN	OPEN	NONE	NONE
91716-2502	91715-0308	NONE	NONE	NONE	□□□□□□□□ ⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8	OPEN	OPEN	3&4	NONE
91716-2503	91715-0008	NONE	NONE	c f h i	□ □ c □ □ f □ h i ⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8	OPEN	OPEN	NONE	NONE
91716-2504	91715-0008	NONE	NONE	b c d h i	□ b c d □ □ h i ⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8	OPEN	OPEN	NONE	NONE
91716-2505	91715-0008	NONE	NONE	b c g h	□ b c □ □ g h □ ⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8	OPEN	OPEN	NONE	BLUE
91716-2506	91715-0008	NONE	NONE	c f	□ □ c □ □ f □ □ □ ⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8	OPEN	OPEN	NONE	NONE
91716-2507	91715-0008	NONE	NONE	c f h i	□ □ c □ □ f □ h i ⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8	OPEN	OPEN	NONE	BLUE
91716-2508	91715-0008	NONE	NONE	NONE	□□□□□□□□ ⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8	OPEN	OPEN	NONE	BLUE
91716-2509	91715-0008	NONE	NONE	a c d e g i	a □ c d e □ g □ i ⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8	OPEN	OPEN	NONE	BLUE
91716-2510	91715-0008	NONE	NONE	c d e f	□ □ c d e f □ □ □ ⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8	OPEN	OPEN	NONE	BLUE
91716-2511	91715-0008	NONE	NONE	NONE	□□□□□□□□ ⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8	OPEN	OPEN	NONE	BLACK
91716-2512	91715-0008	NONE	NONE	c f h i	□ □ c □ □ f □ h i ⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8	OPEN	OPEN	NONE	BLACK
91716-2513	91715-0008	NONE	NONE	c d g h	□ □ c d □ □ g h □ ⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8	OPEN	OPEN	NONE	NONE
91716-2514	91715-0008	NONE	NONE	a c d e f g h i	a □ c d e f g h i ⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8	OPEN	OPEN	NONE	BLUE
91716-2515	91715-0008	NONE	NONE	a b d f h i	a b □ d □ f □ h i ⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8	OPEN	OPEN	NONE	NONE
91716-2516	91715-0008	NONE	NONE	b c d h i	□ b c d □ □ h i ⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8	OPEN	OPEN	NONE	BLUE
91716-2517	91715-2008	NONE	NONE	NONE	□□□□□□□□ ⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8	OPEN	OPEN	1&2, 7&8	NONE
91716-2518	91715-0008	NONE	NONE	b c d f h i	□ b c d □ f □ h i ⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8	OPEN	OPEN	NONE	NONE
91716-2519	91715-0008	NONE	NONE	a c e f h i	a □ c □ e f □ h i ⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8	OPEN	OPEN	NONE	NONE
91716-2520	91715-0008	NONE	NONE	ALL	a b c d e f g h i ⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8	OPEN	OPEN	NONE	NONE
91716-2521	91715-0008	CCT 7 & 8	NONE	a b d f h i	a b □ d □ f □ h i ⊕⊕⊕⊕⊕⊕+ + 1 2 3 4 5 6 7 8	OPEN	OPEN	NONE	NONE
91716-2522	91715-0008	NONE	NONE	b c d f h i	□ b c d □ f □ h i ⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8	OPEN	OPEN	NONE	BLUE
91716-2523	91715-0008	CCT 2, 4 & 6	NONE	a c d e f g	a □ c d e f g □ □ ⊕+⊕+⊕+⊕⊕ 1 2 3 4 5 6 7 8	OPEN	OPEN	NONE	NONE
91716-2524	91715-0068	CCT 2, 4 & 6	NONE	a c d e f g	a □ c d e f g □ □ ⊕+⊕+⊕+⊕⊕ 1 2 3 4 5 6 7 8	CLOSED	OPEN	NONE	BROWN
91716-2525	91715-2108	NONE	NONE	a i	a □ □ □ □ □ □ □ i ⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8	OPEN	OPEN	1&2, 6&7	NONE

NOTES

1.

+ DENOTES TERMINAL VOIDED POSITION
⊕DENOTES TERMINAL LOADED POSITION
| DENOTES POLARIZING RIB POSITION

2. MOLEX HOUSING NO. FOR REFERENCE ONLY

DOCUMENT STATUS	P1	RELEASE DATE	2025/04/08	10:51:42
-----------------	----	--------------	------------	----------

13

12

11

10

9

<

14	13	12	11	10	9	8	7	6	5	4	3	2	1
10 CIRCUIT													
PART NUMBER	HOUSING USED	TERMINAL VOID POITION	LATCH POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE				
91716-3501	91715-0010	NONE	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10	OPEN	OPEN	NONE	NONE				
91716-3502	91715-0210	NONE	NONE	ALL	a b c d e f g h i j k ⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10	OPEN	OPEN	2&3	NONE				
91716-3503	91715-0010	Cct 2,5,7,9	NONE	NONE	⊕+⊕⊕+⊕+⊕+⊕+⊕ 1 2 3 4 5 6 7 8 9 10	OPEN	OPEN	NONE	NONE				
91716-3504	91715-0410	NONE	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10	OPEN	OPEN	4&5	NONE				
91716-3505	91715-0010	NONE	NONE	b c d e f g h i j	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10	OPEN	OPEN	NONE	NONE				
91716-3506	91715-0010	NONE	NONE	a	a ⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10	OPEN	OPEN	NONE	NONE				

11 CIRCUIT													
PART NUMBER	HOUSING USED	TERMINAL VOID POITION	LATCH POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE				
91716-4001	91715-0011	NONE	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11	OPEN	OPEN	NONE	NONE				
91716-4002	91715-0031	NONE	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11	CLOSED	CLOSED	NONE	NONE				
91716-4003	91715-0511	NONE	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11	OPEN	OPEN	5&6	NONE				
91716-4004	91715-1031	NONE	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11	CLOSED	CLOSED	10&11	NONE				
91716-4005	91715-1011	NONE	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11	OPEN	OPEN	10&11	NONE				
91716-4006	91715-0011	CCT 5,6,7	NONE	NONE	⊕⊕⊕⊕⊕++⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11	OPEN	OPEN	NONE	NONE				
91716-4007	91715-0011	CCT 5,6,7	NONE	a d e f h i j l	a ⊕⊕⊕⊕++⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11	OPEN	OPEN	NONE	NONE				
91716-4008	91715-0011	CCT 5,6,7	NONE	a b e f g i j k	a b ⊕⊕⊕⊕++⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11	OPEN	OPEN	NONE	NONE				
91716-4009	91715-0011	NONE	NONE	b c d e f g h i j k	⊕ b c d e f g h i j k ⊕ ⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11	OPEN	OPEN	NONE	NONE				

12 CIRCUIT													
PART NUMBER	HOUSING USED	TERMINAL VOID POITION	LATCH POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE				
91716-4501	91715-0012	NONE	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11 12	OPEN	OPEN	NONE	NONE				
91716-4502	91715-0012	CCT 2,5,8,11	NONE	b c d e j k l	⊕+⊕⊕+⊕⊕+⊕⊕+⊕ 1 2 3 4 5 6 7 8 9 10 11 12	OPEN	OPEN	NONE	GREEN				
91716-4503	91715-0012	CCT 2,5,8,11	NONE	NONE	⊕+⊕⊕+⊕⊕+⊕⊕+⊕ 1 2 3 4 5 6 7 8 9 10 11 12	OPEN	OPEN	NONE	GREEN				
91716-4504	91715-0012	CCT 2,5,8,11	NONE	a c d e g h i k l m	a ⊕+⊕⊕+⊕⊕+⊕⊕+⊕ 1 2 3 4 5 6 7 8 9 10 11 12	OPEN	OPEN	NONE	GREEN				
91716-4505	91715-0012	CCT 2,5,8,11	NONE	c d e g h i k l m	⊕ ⊕ c d e g h i k l m ⊕ ⊕+⊕⊕+⊕⊕+⊕⊕+⊕ 1 2 3 4 5 6 7 8 9 10 11 12	OPEN	OPEN	NONE	GREEN				

13 CIRCUIT													
PART NUMBER	HOUSING USED	TERMINAL VOID POITION	LATCH POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE				
91716-5001	91715-0013	NONE	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11 12 13	OPEN	OPEN	NONE	NONE				
91716-5002	91715-0013	CCT 4,6,8,10,12	NONE	NONE	⊕⊕⊕+⊕+⊕+⊕+⊕+⊕+⊕ 1 2 3 4 5 6 7 8 9 10 11 12 13	OPEN	OPEN	NONE	NONE				
91716-5003	91715-0013	NONE	NONE	c f h i k l	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11 12 13	OPEN	OPEN	NONE	NONE				

14 CIRCUIT													
PART NUMBER	HOUSING USED	TERMINAL VOID POITION	LATCH POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE				
91716-5501	91715-0014	NONE	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11 12 13 14	OPEN	OPEN	NONE	NONE				

15 CIRCUIT													
PART NUMBER	HOUSING USED	TERMINAL VOID POITION	LATCH POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE				
91716-6001	91715-0015	NONE	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	OPEN	OPEN	NONE	NONE				
91716-6002	91715-0015	CCT 4,6,8,10,12,14	NONE	o p	⊕⊕⊕+⊕+⊕+⊕+⊕+⊕+⊕ 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	OPEN	OPEN	NONE	NONE				
91716-6003	91715-0515	NONE	NONE	a p	a ⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	OPEN	OPEN	5&6	NONE				

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																					
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex APPLI-MATE 2.5 FEMALE (MATL: NYLON PA6) PRODUCT CUSTOMER DRAWING													
mm		NTS																			
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 814617 DRWN: GOPIS CHK'D: GOPIS APPR: ISHWARG INITIAL REVISION: DRWN: CFISHER01 APPR: BRUTTLE										DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION	
ANGULAR TOL ± 0.5 °														917160001		PSD		000		N5	
4 PLACES ±								2024/02/05													
3 PLACES ± 0.05				2025/03/04																	
2 PLACES ± 0.1				2025/04/08																	
1 PLACE ± 0.2																					
0 PLACES ±																					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER							
						A2-SIZE		91716		SEE TABLE		GENERAL MARKET		9 OF 10							

NOTES

1. + DENOTES TERMINAL VOIDED POSITION

⊕ DENOTES TERMINAL LOADED POSITION

| DENOTES POLARIZING RIB POSITION

2. MOLEX HOUSING NO. FOR REFERENCE ONLY

DOCUMENT STATUS	P1	RELEASE DATE	2025/04/08	10:51:42									
	13		12		11		10		9		8		7
													6
													5
													4
													3
													2
													1

FORMAT: moxedit-ywmd-A2

REVISION: 1

DATE: 2025/01/16

